Dream On Me Inc.
1532 S Washington Ave
Piscataway Township
NJ 08854
Email: info@dreamonme.com
www.dreamonme.com

ASSEMBLY INSTRUCTIONS

ITEM NO: 723

Follow warnings on all products in a crib .
Adult assembly required.

Small parts may present choking hazard prior to assembly.

Enclosed please find simple step-by-step instructions to help you quickly assemble your products. Before you begin we recommend that you following the steps below:

1. Please read the instructions thoroughly.
2. Identify all parts and hardwares
3. You will need the following tools:

Philips head screw driver
Flat head screw driver
Hammer
Do Not Use Power Drills or Drivers

To protect your parts during assembly please place them on a soft surface.

To clean surface use only water on a damp cloth. Do not use window cleaners or cleaning abrasives as it will scratch the surface and could damage the protective coating.



⚠ WARNING !

- Failure to follow these warnings and instruction could result in serious injury or death.
- Read all instructions before assembling crib, keep instructions for future use.
- Upon completion of assembly be sure all screws, bolts and fastening devices have been securely tightened. A frequent check should be made.
- Never use this product if there are any loose or missing fasteners, loose joints,broken parts, or torn mesh/fabric. check before assembly and periodically during use. Contact DREAM ON ME for replacement parts and instructional literature if needed.
- Never substitute parts, the product including side rails, must be fully erected prior to use.
- Discontinue use of the product when child is able to climb out or reaches the height of 35in (900mm).
- Never place product near window where cords from blinds or drapes can strangle a child.
- When child is able to pull to standing position,set mattress/base to lowest adjustment positionand remove bumper pads, large toys ,and other objects that could serve as steps for climbing out. A child can trap parts of the body or clothing on loose fasteners .
- Never use plastic shipping bag or other plastic film as mattress covers not sold and intended for that purpose, they can cause suffocation .
- CAUTION: Any mattress used in this crib must be at least 27-1/4inches(690mm) by 51-5/8 inches(1310mm),with a thickness not exceeding 6 inches(150mm), the dimensions of the mattress shall be taken from seam to seam or edge to edge where appropriate.
- Never use a water mattress with this product.
- Strings can cause strangulation! Never place items with a string around a child's neck, such as hood strings or pacifier cords. Never suspend strings over product or attach strings to toys.
- Infants can suffocate in gaps between a mattress too small or too thick and product sides, on soft bedding never add a mattress, pillow,comforter or padding.
- To reduce the risk of SIDS, pediatricians recommend healthy infants be placed on their back to sleep, unless otherwise advised by your physician.
- If refinishing,use a non-toxic finish specified for children's products.
- Infants can suffocate on soft bedding .
- Never add a pillow or comforter .
- Never place additional padding under an infant .
- To help prevent strangulation tighten all fasteners.
- A child can trap parts of the body or clothing on loose fasteners.
- Follow warnings on all products in a crib .

  See head panel & mattress support of the product for warnings.

  Replace teething rail if damaged,cracked or loose.

MADE IN CHINA

CONNECTION HARDWARE



a: 3” Allen head bolt (8pcs)



b: 2-1/4”Allen head bolt (4pcs)



c: 2” Allen head bolt (11pcs)



d: 3/4”Allen head bolt (4pcs)

e:Barrel nuts (8pcs)



f:1-1/2”Wood dowels (6pcs)



g:Allen wrench (1pc)

PARTS ENCLOSED IN CARTON



Item	Description	Qty	Item	Description	Qty
A	Crib End Top Rails	2	F	Right Back Leg	1
B	Crib Ends Bottom	2	G	Right Front Leg	1
C	Fixed Side	2	H	Mattress Support	1
D	Left Back Leg	1	I	Rail	1
E	Left Front Leg	1	J	Bottom Bar	1

STEP 1

Attach right&left crib end top rails (A) to
right&left crib ends (B)
using 2-1/4” allen head bolts (b) .



STEP 2

Attach crib end (B) to left back legs(D).
and to left front legs(E) using
2” allen head bolts (c) .

Assemble right crib end(B) and
right legs back(F)&front(G) use
the same way .



STEP 3

Attach crib ends (B) and
to fixed side(C) using 3” allen head bolts (a)&
barrel nuts(e)&1-1/2”wood dowels(f).



STEP 4



Locate the mattress support (H)
with tabs .
Be sure the smooth side of the
mattress support (H) is faced upward .
Position the tabs of the mattress
support(H) to mount to the selected
position onto the legs .
Insert the bolts (d) , through the
tabs and into thread inserts ,
then tighten securely with allen
wrench (g) .

STEP 5

Attach The fixed (C) and ceib ends(B).
using 1-1/2’’wood dowels (f),bolts (a),barrel nuts (e)
and allen wrench (g) .



Converting crib to a toddler bed

Please note that the warning sticker is placed on the cribs to keep parents and caregivers informed it is a requirement by law under CPSC And ASTM.
We do apologize for any inconvenience this may cause you.

You have the option to convert crib to a toddler bed

1.Connect Rail (I) to The bottom bar (J) by 2”Allen head bolts (a) .
2. Remove The front top rail (C).
3.Install the mattress support (H) in its lowest position.
4.Assemble the Rail (I) to the left and the right crib ends(B) by 3”Allen head bolts (a),barrel nuts(e) and wood dowels(f).









⚠ WARNING FOR TODDLER BED USE

Failure to follow these warning and the assembly instructions could result in serious injury or death from entrapment or strangulation. DO NOT place bed near windows where cords from blinds or drapes may strangle a child. DO NOT place items with a string,cord,or ribbon around a child’s neck,such as a hood, strings or pacifier cords. DO NOT suspend strings over a toddler bed for any reason.

The mattress intended for use on the bed shall be a full-size crib mattress having the dimensions of 51-5/8” (1310 mm) in length and 27-1/4”(690mm) in width and thickness of 4” (100mm) or a greater thickness as specified by the manufacture. The minimum age of the intended user shall not be less than 15 months and the maximum weight shall not be greater than 50lbs(22.7kgs).

Converting crib to a day bed

You have the option to convert crib to a day bed
1:Remove The front top rail (C)
2:Install the mattress support (H)
in its lowest position.
3.To assemble the bottom bar(J) to the front legs as the image showed.



Model shown is example only.
Styles may vary .

Converting crib to a full size bed I



Conversion kit is sold separately
You have the option to convert crib to a full size bed I
1:Use the front rail as the footboard of full size bed I;
2:Use the back rail as the headboard of full size bed I;
3:Connect the front rail and the back rail to the kits (legs, long rails,and hardware) which are not included and sold separately.

Model shown is example only.
Styles may vary .

Converting crib to a full size bed II

PARTS REQUIRED TO COMPLETE STEP

LEFT FOOT PLATFORM
POST x 1
NOT INCLUDED



RIGHT FOOT PLATFORM
POST x 1
NOT INCLUDED



RAIL
POST x 1
NOT INCLUDED

Converting kit is sold separately

You have the option to convert crib to a full size bed II

1:Use the back rail as the headboard of full size bed.

2:Connect the left foot platform and the right foot platform to the rail which are not included and sold separately.

3:Connect the assembled parts and headboard of full size bed to the kits (legs, long rails,and hardware) which are not included and sold separately.



Model shown is example only.
Styles may vary .

1532, S. Washington Avenue
Piscataway, NJ 08854
E-mail: info@dreamonme.com

www.dreamonme.com

Follow us on

@dreamonmeinc **@dreamonmeinc**

to get your nursery featured on our social media.

Enter our monthly giveaway!

Simply scan the QRcode to register.

Chat with us!

For any questions or concerns or feedback.

DOM FAMILY